

RHEL: Rebuilding the initial ramdisk image

Article Number: 126 | Rating: 5/5 from 1 votes | Last Updated: Sat, Jun 2, 2018 8:44 AM

RHEL: Rebuilding the initial ramdisk image

```
# Tested on RHEL 5, 6 & 7

# Sometimes it may be necessary to rebuild the initial ramdisk (also
known as initrd or
# initramfs) to include new kernel modules, files, etc.

# RHEL 3, 4 & 5: Rebuilding the initrd
# -----
-----

cp /boot/initrd-$(uname -r).img /boot/initrd-$(uname -r).img.bak

mkinitrd -f -v /boot/initrd-$(uname -r).img $(uname -r)

# If we are in a kernel version different to the initrd we are
building we must specify
# the full kernel version, without architecture:

mkinitrd -f -v /boot/initrd-2.6.18-348.2.1.el5.img 2.6.18-348.2.1.el5

# RHEL 6 & 7: Rebuilding the initramfs
# -----
-----

cp /boot/initramfs-$(uname -r).img /boot/initramfs-$(uname
```

```
-r).img.bak
```

```
dracut -f
```

```
# If we are in a kernel version different to the initrd we are  
building we must specify
```

```
# the full kernel version, including architecture:
```

```
dracut -f /boot/initramfs-2.6.32-220.7.1.el6.x86_64.img
```

```
2.6.32-220.7.1.el6.x86_64
```

```
# *** Consider adding a new grub/grub2 entry pointing to the initial  
ramdisk image, that
```

```
# will allow you to choose the old version at boot time without  
restoring the backup
```

Posted - Sat, Jun 2, 2018 8:44 AM. This article has been viewed 7679 times.

Online URL: <http://kb.ictbanking.net/article.php?id=126>