

LVM: Rename root VG/LV

Article Number: 170 | Rating: Unrated | Last Updated: Sat, Jun 2, 2018 10:25 PM

LVM: Rename root VG/LV

```
# Tested on RHEL 6 & 7

# Carry out planned modifications: renaming the existing Volume Group and/or
renaming
# the Logical Volume(s). I just wanted to change the name of all LVs belonging to
rootvg:

lvs
  LV      VG      Attr          LSize   Pool Origin Data%  Meta%  Move Log Cpy%Sync
Convert
  home   rootvg -wi-ao----- 512.00m
  opt    rootvg -wi-ao----- 1.00g
  root   rootvg -wi-ao----- 1.00g
  swap   rootvg -wi-ao----- 1.00g
  tmp    rootvg -wi-ao----- 1.00g
  usr    rootvg -wi-ao----- 1.00g
  var    rootvg -wi-ao----- 1.00g

lvrename /dev/rootvg/home  lv_home
lvrename /dev/rootvg/opt  lv_opt
[...]
lvrename /dev/rootvg/usr  lv_usr
lvrename /dev/rootvg/var  lv_var

# Update /etc/fstab with the new names

vi /etc/fstab

/dev/mapper/rootvg-lv_root          /          ext4  defaults  1 1
```

```
/dev/mapper/rootvg-lv_swap          swap      swap      defaults    0 0
[...]

# and then...

# RHEL 6
-----

# Update VG/LV names in /boot/grub/grub.conf

vi /boot/grub/grub.conf
[...]
    kernel /vmlinuz-2.6.32-358.el6.i686 ro root=/dev/mapper/rootvg-lv_root
rd_NO_LUKS [...]

shutdown -r now

# RHEL 7
-----

# Update VG/LV names in /etc/default/grub

vi /etc/default/grub
[...]
    GRUB_CMDLINE_LINUX="crashkernel=auto rd.lvm.lv=rootvg/lv_root
rd.lvm.lv=rootvg/lv_swap rd.lvm.lv=rootvg/lv_usr rhgb quiet"
[...]

# Then reboot the system to rescue mode (I used a RHEL 7 rescue cd, option "find
Linux
# installation and mount under /mnt/sysimage") and rebuild grub2 using following
procedure:

# vgchange -ay rootvg
# mount /dev/sdal /mnt/sysimage/boot
# mount /dev/rootvg/lv_usr /mnt/sysimage/usr

chroot /mnt/sysimage
grub2-mkconfig -o /boot/grub2/grub2.cfg
```

```
exit  
shutdown -r now
```

Posted - Sat, Jun 2, 2018 10:25 PM. This article has been viewed 7724 times.

Online URL: <http://kb.ictbanking.net/article.php?id=170>