Software management in AIX

Article Number: 278 | Rating: Unrated | Last Updated: Mon, Jun 25, 2018 3:18 PM

Software management in AIX

Software management in AIX

leave a comment »

Fileset in AIX is named for softwares or dependencies.

Group of filesets is called a package.

For eg: bos.net is a package and bos.net.nfs.client is a fileset.

BOS stands for Base Operating System.

BOS is a licensed programming product (LPP).

Bundle: A bundle is a collection of a fileset, package or LPP.

Bundle is of 3 types:

- 1. Server bundle
- 2. Graphics bundle
- 3. Migration bundle

Command used to install softwares is installp

Various commands to install software:

installp -aVx -d <directory or device name> <application name>

For eg:

installp – aVx –d /dev/rmt0 bos.net.nfs.client

Flags:

a stands for APPLIED mode. Software installed in applied mode means, admin can rollback the software if the wrong version gets installed or software is not suited as per end user requirements. Because the software is not committed to the OS, so rollback is possible.

To commit the software/application permanently in the OS, command used:

installp -aCx -d <directory or device name> <application file>

For eg:

installp -aCx -d /dev/rmt0 bos.net.nfs.client

Flags:

c stands for COMMITTED mode. Once the application is installed using c flag, it cannot be removed later from the OS. Admin must be very careful in running this command.

To remove an application which is installed in applied mode, command used is:

installp -r <application name>

To uninstall the fileset, command used:

installp -u <application name>

To clean broken software parts, command used:

installp -C

To check all softwares installed in APPLIED mode, command used:

installp -S

To list all the softwares installed in AIX or LINUX OS, command used are:

lslpp -l (works only in AIX)

lslpp -L (works in both AIX as well as Linux)

lslpp -h <application name>

This command will give complete history about the application including the versions installed.

For eg:

lslpp -h bos.obj

lslpp -L | grep APPLIED

Will list all the applications installed in APPLIED mode in the OS.

Command used to find the filesets installed for a particular application is:

lslpp -f <application name>

Command used to find the filesets installed for running any command is:

lslpp -w /usr/bin/<command>

For eg:

lslpp -w /usr/bin/path

This command will give the list of filesets needed to run the **PATH** command.

lslpp -c command is used to verify the checksum

lslpp -v command is used to verify the software parts.

To install softwares in Linux commands used are:

rpm -ivh <application name>

POINTS TO REMEMBER:

Install command's output is always stored in user's smit.log directory i.e. /home/smit.log

Software components are basically broken down into 3 types:

- 1. Root
- 2. Usr
- 3. Share

Fileset + package together is called a **Bundle**.

To check using SMIT whether software is installed properly or not, command used is:

smit list_installed

To report comparison for softwares, command used:

smit compare_report

To check software management and utilities, command used:

smit maintain_software

To install fix from a cd, command used:

instfix -ik <fix number> -d /dev/cd0

To search for a fix by keyword:

instfix -s <keyword> -d /dev/cd0

To display all fixes available on cd:

instfix -T -d /dev/cd0

instfix -I | grep ML command will list all the fixes for ML (maintenance Level)

instfix –I | grep TL command will list all the fixes for TL (Technology Level)

Formula for **RISC** (**Reduced Instructions Set Computer**):

Time to execute a program = number of instructions X number of clock cycles per instruction X time taken for a clock cycle

mkinstallp command creates software package in install format.

To install updates available on a cd and verify the current maintenance level, command used is:

install_all_updates -d /dev/cd0

I'll keep updating this blog whenever I come across something new worth sharing!

Till then,

Happy Learning!

Posted - Mon, Jun 25, 2018 3:18 PM. This article has been viewed 6792 times.

Online URL: http://kb.ictbanking.net/article.php?id=278