

Script to reset NIM state and deallocate resources

Article Number: 515 | Rating: Unrated | Last Updated: Thu, Feb 21, 2019 8:13 PM

Sometimes we need to reset the state of a lpar on our NIM server. You can use smitty, but it's simpler to use a shell script.

First, we check the which NIM resources our LPAR has inside NIM:

```
1
2
3
4
5
6
7
8
9
10
11
12
13
14

[root@nim] lsnim -l lpar1

lpar1:

class      = machines

type      = standalone

current_master = nim

connect    = nimsh (secure)

sync_required = yes

platform   = chrp

netboot_kernel = mp

if1        = ent-Network9 lpar1 0

cable_type1 = N/A

Cstate     = BOS installation has been enabled

prev_state = ready for a NIM operation
```

```
15             Mstate      = currently running
16             lpp_source   = LPP_INS_AIX61
17             spot         = spotimagen_aix6
18             cpuid        = 000U040AD401
                control     = master
```

As you can see, lpar1 has two resources, one lpp_source and a spot resource.
Now, it's time for this script (resetaix.ksh):

```
1             #!/usr/bin/ksh
2
3             # Copyright (C) 2012 Israel Garcia iga3725 @
4             # yahoo.com
5
6             # This program is free software: you can redistribute
7             # it and/or modify
8             # it under the terms of the GNU General Public
9             # License as published by
10            # the Free Software Foundation, either version 3 of
11            # the License, or
            # (at your option) any later version.
            #
```

```
12      # This program is distributed in the hope that it will
13      be useful,
14
15      # but WITHOUT ANY WARRANTY; without even
16      the implied warranty of
17
18      # MERCHANTABILITY or FITNESS FOR A
19      PARTICULAR PURPOSE. See the
20
21      # GNU General Public License for more details.
22
23      #
24
25      # You should have received a copy of the GNU
26      General Public License
27
28      # along with this program
29
30      # You need to add parameter $1 as the name of the
31      lpar (machine resource) to the script:
32
33      #
34
35      # Check machine resource exist on NIM:
36
37      lsnim -c machines|grep "$1" 1>/dev/null
38
39      if [[ $? -eq 0 ]] ; then
40
41          echo
42
43          else
44
45              echo "ERROR: $1 machine resource does not
46              exists on NIM." && exit 1
47
48          fi
```

```
#  
  
nim -Fo reset $1  
  
nim -Fo deallocate -a subclass=all $1
```

Check again machine resources:

```
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
[root@nim:/usr/local/bin] lsnim -l lpar1  
  
lpar1:  
  
class      = machines  
  
type       = standalone  
  
current_master = nim  
  
connect    = nimsh (secure)  
  
sync_required = yes  
  
platform   = chrp  
  
netboot_kernel = mp  
  
if1        = ent-Network9 lpar1 0  
  
cable_type1 = N/A  
  
Cstate     = ready for a NIM operation  
  
prev_state  = BOS installation has been enabled
```

```
14          Mstate      = currently running
15          cpuid       = 000E050AD400
16          Cstate_result = reset
```

Just thanks if the post was helpful

Posted - Thu, Feb 21, 2019 8:13 PM. This article has been viewed 2537 times.

Online URL: <http://kb.ictbanking.net/article.php?id=515>