

# RHEL: Extending the maximum inode count on a ext2/ext3/ext4 filesystem

Article Number: 66 | Rating: Unrated | Last Updated: Sun, May 27, 2018 8:46 PM

# Tested on RHEL 6 & 7

# An inode is a data structure that contains information about a file or directory. Inodes

# rarely get used up when the file system has available space.

Nevertheless, this may

# happen when there is a large amount of small files or empty files because each file or

# directory will use an inode.

# Once the filesystem created it is not possible to modify the number of inodes so one

# should carefully decide the correct value for this parameter.

# In addition, we should take into account that the value of bytes per inode shouldn't be

# smaller than the blocksize of the filesystem, otherwise there will be more inodes on the

# filesystem than those that will be ever used.

# Inode number may be set by specifying the total number of inodes during filesystem

# creation, "-N", or by indicating a bytes/inode ratio, "-i".

# For a small logical volume like following one:

```
lvs /dev/rootvg/lv_test
```

LV	VG	Attr	LSize
lv_test	rootvg	-wi-a-----	512.00m

```
# I'll create a ext3 filesystem using different bytes/inode ratio.  
Pay attention to the  
# space "lost" on the filesystem for inode purposes:
```

```
mkfs.ext3 /dev/rootvg/lv_test
```

```
mke2fs 1.41.12 (17-May-2010)  
Filesystem label=  
OS type: Linux  
Block size=4096 (log=2)  
Fragment size=4096 (log=2)  
Stride=0 blocks, Stripe width=0 blocks  
32768 inodes, 131072 blocks  
6553 blocks (5.00%) reserved for the super user  
First data block=0  
Maximum filesystem blocks=134217728  
4 block groups  
32768 blocks per group, 32768 fragments per group  
8192 inodes per group  
Superblock backups stored on blocks:  
    32768, 98304
```

```
df -h /test
```

Filesystem	Size	Used	Avail	Use%	Mounted on
/dev/mapper/rootvg-lv_test					
	<b>504M</b>	17M	462M	4%	/test

```
mkfs.ext3 -i 4096 /dev/rootvg/lv_test
```

```
mke2fs 1.41.12 (17-May-2010)  
Filesystem label=  
OS type: Linux  
Block size=4096 (log=2)
```

Fragment size=4096 (log=2)  
Stride=0 blocks, Stripe width=0 blocks  
**131072 inodes**, 131072 blocks  
6553 blocks (5.00%) reserved for the super user  
First data block=0  
Maximum filesystem blocks=134217728  
4 block groups  
32768 blocks per group, 32768 fragments per group  
32768 inodes per group  
Superblock backups stored on blocks:  
32768, 98304

**df -h /test**

Filesystem	Size	Used	Avail	Use%	Mounted on
/dev/mapper/rootvg-lv_test					
	<b>480M</b>	17M	438M	4%	/test

**mkfs.ext3 -i 1024 /dev/rootvg/lv\_test**

mke2fs 1.41.12 (17-May-2010)  
Filesystem label=  
OS type: Linux  
Block size=4096 (log=2)  
Fragment size=4096 (log=2)  
Stride=0 blocks, Stripe width=0 blocks  
**524288 inodes**, 131072 blocks  
6553 blocks (5.00%) reserved for the super user  
First data block=0  
Maximum filesystem blocks=135272448  
16 block groups  
8592 blocks per group, 8592 fragments per group  
32768 inodes per group  
Superblock backups stored on blocks:  
8592, 25776, 42960, 60144, 77328

**df -h /test**

Filesystem	Size	Used	Avail	Use%	Mounted on
------------	------	------	-------	------	------------

/dev/mapper/rootvg-lv\_test

**384M** 19M 340M 6% /test

Posted - Sun, May 27, 2018 8:46 PM. This article has been viewed 3427 times.

Online URL: <http://kb.ictbanking.net/article.php?id=66>