Linux RAID Mdadm Cheat Sheet

Article Number: 682 | Rating: Unrated | Last Updated: Fri, May 15, 2020 12:10 PM

Linux RAID Mdadm Cheat Sheet

Mdadm is the modern tool most Linux distributions use these days to manage **software RAID** arrays; in the past *raidtools* was the tool we have used for this. This cheat sheet will show the most *common usages of mdadm* to manage software raid arrays; it assumes you have a good understanding of software RAID and Linux in general, and it will just explain the commands line usage of mdadm. The examples bellow use RAID1, but they can be adapted for any RAID level the Linux kernel driver supports.

1. Create a new RAID array

Create (mdadm —create) is used to create a new array:

or using the compact notation:



2. /etc/mdadm.conf

/etc/mdadm.conf or /etc/mdadm/mdadm.conf (on debian) is the main configuration file for mdadm. After we create our RAID arrays we add them to this file using:



or on debian

3. Remove a disk from an array

We can't remove a disk directly from the array, unless it is failed, so we first have to fail it (if the drive it is failed this is normally already in failed state and this step is not needed):



and now we can remove it:

This can be done in a single step using:

4. Add a disk to an existing array

We can add a new disk to an array (replacing a failed one probably):

5. Verifying the status of the RAID arrays

We can check the status of the arrays on the system with:



here we can see both drives are used and working fine -U. A failed drive will show as **F**, while a degraded array will miss the second disk -

Note: while monitoring the status of a RAID rebuild operation using watch can be useful:

6. Stop and delete a RAID array

If we want to completely remove a raid array we have to stop if first and then remove it:

and finally we can even delete the superblock from the individual drives:



Finally in using RAID1 arrays, where we create **identical partitions** on both drives this can be useful to copy the partitions from sda to sdb:



(this will dump the partition table of sda, removing completely the existing partitions on sdb, so be sure you want this before running this command, as it will

not warn you at all).

There are many other usages of **mdadm** particular for each type of RAID level, and I would recommend to use the manual page (*man mdadm*) or the help (*mdadm* —*help*) if you need more details on its usage. Hopefully these quick examples will put you on the fast track with how mdadm works.

Posted - Fri, May 15, 2020 12:10 PM. This article has been viewed 5575 times.

Online URL: http://kb.ictbanking.net/article.php?id=682