

how to list all hard disks in linux from command line

Article Number: 466 | Rating: Unrated | Last Updated: Mon, Jan 28, 2019 4:02 PM

how to list all hard disks in linux from command line

Posted on June 24, 2015 by barkeep

Hard Disk, Hard Drive, Disk Drive or Hard Disk Drive are all names for a data storage device (hardware device) for storing and retrieving digital information usually in a computer. A computer can have multiple hard disks attached to it, both internal and external.

Now these hard disks can be further divided to multiple logical containers in order to host different file systems or to keep file systems/files separate. These are [called partitions](#) and they can then [mounted independently with out affecting the other disks](#) and partitions. At a high level abstraction, you can view partition as separate disks as well.

Hard disks on a system are detected and/or identified by various device drivers in the kernel and then assigned an unique device id at boot time, enabling it to be mounted and read later (yeah, this is an over simplification of how it all works but it should suffice for this post). We will see later in the post how you can list disks that have been identified by the system.

The hard disks can be differentiated based on the interface used to interact with them. Some of the commonly used types of disk are SCSI (Small Computer System Interface), ATA or IDE (Advanced Technology Attachment), SATA (Serial ATA), SAS (Serial Attached SCSI) among others. As I

mentioned, the physical hard disk is assigned an unique id at startup. This can configured (using *udev* among others) so that you can assign it pretty much id, but usually most systems follow some universally accepted conventions when naming devices.

By convention, the IDE disks use the device id prefixed with **hd** and the SCSI (and SATA) disks prefix their device id with **sd**. So, an IDE disk would be located at */dev/hd(*)*. eg: */dev/hda*, */dev/hdb* etc. Similarly, the SCSI disks would be */dev/sda*, */dev/sdb* etc or in general of the format */dev/sd(*)*.

There are several different commands that you can use in a Linux environment to list disks that have been mounted on the system.

df

The **df** command is primarily intended to report file system disk space usage. It is still a good utility to print out the disks that are available to the system, although it prints filesystems rather than disks per se.

You can use the *-h* or *-human-readable* option with **df** to print out the disk usage in a human readable format. Look for file systems that identify as */dev/sda*, */dev/sdb* or */dev/hda* to identify the disks.

lsblk

The **lsblk** command is to list block devices. It reads the data from *udev* database along with *sysfs* file system to print a report on all available or specified block devices. Block devices abstracts the actual hardware characteristics of any physical device and allows you to interact with it using a buffered interface.

The *lsblk* command with out any argument will print out the block devices in a tree format. Again look for names, such as *sda*, *sdb* etc. The top level denotes the disk and the first level children represent the partitions with in the block.

will print out the device and not the partitions. The `-S` or `-scsi` will output only the SCSI devices.

lshw

Another commonly used utility is **lshw**, which can print out detailed information about your hardware. Again it might not be default in some distros even though it is a system application.

```
bash$ lshw -class disk
```

The above command will list all disks on the system. You can also specify the storage class if you want to print out the storage controllers as well. You can further reduce the verbosity of the output by using the `-short` option

```
bash$ lshw -class disk -class storage -short
```

blkid

The previously mentioned **lsblk** command is a better and recommended option than the **blkid** command. I include it here just for the sake of completeness.

blkid will print out several different attributes about the block devices. You can usually make out the

disks and partitions from the output just as with *lsblk*.

```
bash$ blkid
```

fdisk

fdisk is a popular command mostly used to manipulate the partition table. You can use it to [list all partitions from the partition table](#) and find the devices that are available. The `-list` or `-l` command line option will print out all the known partitions from all devices.

```
bash$ fdisk -l
```

You are probably looking for something like this in the output.

```
Disk /dev/sda: 149.1 GiB, 160041885696 bytes, 312581808 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: dos
Disk identifier: 0xa461a461
```

```
Disk /dev/sdb: 111.8 GiB, 120034123776 bytes, 234441648 sectors
Units: sectors of 1 * 512 = 512 bytes
Sector size (logical/physical): 512 bytes / 512 bytes
I/O size (minimum/optimal): 512 bytes / 512 bytes
Disklabel type: dos
Disk identifier: 0x00000000
```

There are couple of other partition table manipulation tools built on top of *fdisk*, with more options and features. *sfdisk* and *cdisk* are two such examples. They might not however be installed in most distros.

parted

Along the lines of *fdisk*, **parted** is another partition table manipulation utility. Again you can use the `-list` or `-l` command line option to print out the devices or disks and all its info. I like the default output of

parted better than *fdisk*, but then that is subjective.

```
bash$ parted -l
```

```
Model: ATA ST3160815AS (scsi)
```

```
Disk /dev/sda: 160GB
```

```
Sector size (logical/physical): 512B/512B
```

```
Partition Table: msdos
```

```
Disk Flags:
```

/proc/ file

Another rudimentary way is to print out the contents of the */proc/partitions/* folder. This will print out all known devices and partitions in the system. By this time you should be able to differentiate between the disk and partitions, i assume.

```
bash$ cat /proc/partitions
```

Look for minor '0' or name that conforms to the */dev/sda* format.

lsscsi

If you know that you have only SCSI devices or only need the information about SCSI disks, then you can use the *lsscsi* command. This utility might not be installed on some distros by default.

As the command name suggests, it prints out all information about the SCSI devices on the system.

```
bash$ lsscsi
```

No matter what distribution you are on, you should be able to list disks on your system using at least one of the commands listed above.

Online URL: <http://kb.ictbanking.net/article.php?id=466>